NOPEX Special Issue

CONTENTS

Boreal forests and climate
S. Halldin (Uppsala, Sweden) and S.-E. Gryning (Roskilde, Denmark) 1

Introduction

Energy, water and carbon exchange in a boreal forest landscape — NOPEX experiences
S. Halldin (Uppsala, Sweden), S.-E. Gryning (Roskilde, Denmark), L. Gottschalk (Oslo, Norway), A. Jochum (Wageningen, The Netherlands), L.-C. Lundin (Uppsala, Sweden) and A.A. Van de Griend (Amsterdam, The Netherlands) 5

System of information in NOPEX — retrieval, use, and query of climate data
L.-C. Lundin, S. Halldin, T. Nord (Uppsala, Sweden) and B. Etzelmüller (Oslo, Norway) 31

Continuous long-term measurements of soil-plant-atmosphere variables at a forest site
L.-C. Lundin, S. Halldin, A. Lindroth, E. Cienciala, A. Grelle, P. Hjelm, E. Kellner (Uppsala, Sweden), A. Lundberg (Luleå, Sweden), M. Mölder, A.-S. Morén, T. Nord, J. Seibert and M. Stähli (Uppsala, Sweden) . . 53

Continuous long-term measurements of soil–plant–atmosphere variables at an agricultural site
S. Halldin, H. Bergström, D. Gustafsson (Uppsala, Sweden), L. Dahlgren (Färjestaden, Sweden), P. Hjelm, L.-C. Lundin, P.-E. Mellander, T. Nord, P.-E. Jansson, J. Seibert, M. Stähli, A.S. Kishné and A.-S. Smedman (Uppsala, Sweden) 75

Regional-scale studies

Surface-atmosphere exchange

Scale aggregation — comparison of flux estimates from NOPEX
L. Gottschalk (Oslo, Norway), E. Batchvarova, S.-E. Gryning (Roskilde, Denmark), A. Lindroth (Uppsala, Sweden), D. Melas (Mytilene, Greece), Y. Motovilov (Oslo, Norway), M. Frech (Wessling, Germany), M. Heikinheimo (Helsinki, Finland), P. Samuelsson, A. Grelle and T. Persson (Uppsala, Sweden) 103

The evaluation of flux aggregation methods using aircraft measurements in the surface layer
M. Frech (Wessling, Germany) and A. Jochum (Wageningen, The Netherlands) 121

Wind speed measurements in upper and lower boundary layer to determine regional momentum fluxes
T. Hiyama (Nagoya, Japan), M. Sugita (Ibaraki, Japan), H. Bergström and M. Mölder (Uppsala, Sweden) 145

Regional heat flux over the NOPEX area estimated from the evolution of the mixed-layer
S.-E. Gryning and E. Batchvarova (Roskilde, Denmark) 159

Regional-scale CO_2 fluxes over central Sweden by a boundary layer budget method
P.E. Levy (Edinburgh, UK), A. Grelle, A. Lindroth, M. Mölder (Uppsala, Sweden), P.G. Jarvis, B. Kruijt and J.B. Moncrieff (Edinburgh, UK) 169

Introduction to the in situ airborne meteorological measurements in NOPEX
P. Samuelsson and M. Tjernström (Uppsala, Sweden) 181

Airborne flux measurements in NOPEX: comparison with footprint estimated surface heat fluxes
P. Samuelsson and M. Tjernström (Uppsala, Sweden) 205

Correction of surface air temperature measurements from a mobile platform
C. Achberger and L. Bärring (Lund, Sweden) 227

A new land-surface treatment for HIRLAM — comparisons with NOPEX measurements
B. Bringfelt (Norrköping, Sweden), M. Heikinheimo (Helsinki, Finland), N. Gustafsson, V. Perov (Norrköping, Sweden) and A. Lindroth (Lund, Sweden) 239

Surface and sub-surface water

Validation of a distributed hydrological model against spatial observations
Y.G. Motovilov, L. Gottschalk, K. Engeland (Oslo, Norway) and A. Rodhe (Uppsala, Sweden) 257

Regionalisation of parameters for a conceptual rainfall-runoff model
J. Seibert (Uppsala, Sweden) 279

Operational testing of a water balance model for predicting climate change impacts
C.-Y. Xu (Uppsala, Sweden) 295

Distribution of soil moisture and groundwater levels at patch and catchment scales
S. Beldring, L. Gottschalk (Oslo, Norway), J. Seibert (Uppsala, Sweden) and L.M. Tallaksen (Oslo, Norway) . . 305

Wetland occurrence in relation to topography: a test of topographic indices as moisture indicators
A. Rodhe and J. Seibert (Uppsala, Sweden) 325

Reducing systematic errors in rainfall measurements using a new type of gauge
J. Seibert and A.-S. Morén (Uppsala, Sweden) 341

Evaluation of the threshold methods for rainfall estimation over a boreal region. A case study based on the NOPEX radar data
P. Crochet (Oslo, Norway) 349

Remote sensing

Multi-temporal analysis of ERS-1 and EMISAR C-band VV backscattering properties of forest and lake surfaces in the NOPEX region
A.A. Van de Griend and E. Seyhan (Amsterdam, The Netherlands) 363

Microwave remote sensing of hydrological parameters in the NOPEX area
S. Paloscia, P. Pampaloni, G. Macelloni and S. Sigismondi (Firenze, Italy) . . . 375
Microwave observations of boreal forests in the NOPEX area of Sweden and a comparison with observations of a temperate plantation in the United Kingdom
J.R. Baker (Huntingdon, UK) and A.J. Luckman (Swansea, UK) . . . 389
Regional forest biomass and wood volume estimation using satellite data and ancillary data
Z. Fazakas, M. Nilsson and H. Olsson (Umeå, Sweden) . . . 417
Tree-heights derived from radar profiles over boreal forests
S.R.J. Axelsson (Linköping, Sweden), M. Eriksson and S. Halldin (Uppsala, Sweden) . . . 427
Inversion of gap frequency data in forest stands
T. Nilson (Tõravere, Estonia) . . . 437
Determination of needle area indices of coniferous forest canopies in the NOPEX region by ground-based optical measurements and satellite images
T. Nilson (Tõravere, Estonia), J. Anniste (Tallinn, Estonia), M. Lang (Tõravere, Estonia and Tartu, Estonia) and J. Praks (Espoo, Finland) . . . 449

Local-scale studies

Agricultural
Fluxes of carbon dioxide, water vapour and sensible heat in a boreal agricultural area of Sweden — scaled from canopy to landscape level
H. Soegaard (Copenhagen, Denmark) . . . 463
Simulated carbon dioxide exchange of leaves of barley scaled to the canopy and compared to measured fluxes
H. Thorgeirsson (Reykjavik, Iceland) and H. Soegaard (Copenhagen, Denmark) . . . 479
Surface characteristics and energy fluxes above different plant canopies
T. Hurtalová and F. Matejka (Bratislava, Slovak Republic) . . . 491
Soil-crack characteristics — estimation methods applied to heavy soils in the NOPEX area
V. Novák (Bratislava, Slovak Republic) . . . 501
Comparison of synoptic-based preprocessor estimates
G. Erbes and U. Pechinger (Vienna, Austria) . . . 509

Lakes
Momentum and heat fluxes over lakes Tämnaren and Räksjö determined by the bulk-aerodynamic and eddy-correlation methods
M. Heikinheimo, M. Kangas, T. Tourula, A. Venäläinen and S. Tattari (Helsinki, Finland) . . . 521
Comparison of latent and sensible heat fluxes over boreal lakes with concurrent fluxes over a forest: implications for regional averaging
A. Venäläinen (Helsinki, Finland), M. Frech (Wessling, Germany), M. Heikinheimo (Helsinki, Finland) and A. Grelle (Uppsala, Sweden) . . . 535

Forest
Long-term measurements of stand water uptake in a Swedish boreal forest
E. Cienciala (Uppsala, Sweden), J. Kučera (Turistická, Czech Republic) and A. Lindroth (Uppsala, Sweden) . . . 547
Water content in stem wood of large pine and spruce trees in natural forests in central Sweden
M. Kravka, T. Krejzar and J. Čermák (Brno, Czech Republic) . . . 555
Seasonal variation of boreal forest surface conductance and evaporation
A. Grelle, A. Lindroth and M. Mölder (Uppsala, Sweden) . . . 563
Modelling branch conductance of Norway spruce and Scots pine in relation to climate
A.-S. Morén (Uppsala, Sweden) . . . 579
Evaporation and storage of intercepted rain analysed by comparing two models applied to a boreal forest
H. Lankreijer (Lund, Sweden), A. Lundberg (Luleå, Sweden), A. Grelle, A. Lindroth (Lund, Sweden) and J. Seibert (Uppsala, Sweden) . . . 595
Test of a modified Shuttleworth–Wallace estimate of boreal forest evaporation
Z. Iritz, A. Lindroth (Lund, Sweden), M. Heikinheimo (Helsinki, Finland), A. Grelle (Lund, Sweden) and E. Kellner (Uppsala, Sweden) . . . 605
Simulated evapotranspiration from the Norunda forest stand during the growing season of a dry year
P.-E. Jansson, E. Cienciala, A. Grelle, E. Kellner, A. Lindahl and M. Lundblad (Uppsala, Sweden) . . . 621
Flux partitioning between understorey and overstorey in a boreal spruce/pine forest determined by the eddy covariance method
J. Constantin (Göttingen, Germany), A. Grelle (Uppsala, Sweden), A. Ibrom and K. Morgenstern (Göttingen, Germany) . . . 629
Flux-profile relationships over a boreal forest — roughness sublayer corrections
M. Mölder, A. Grelle, A. Lindroth and S. Halldin (Uppsala, Sweden) . . . 645
Thermal roughness length of a boreal forest
M. Mölder and A. Lindroth (Uppsala, Sweden) . . . 659
Emission of isoprene and carbonyl compounds from a boreal forest and wetland in Sweden
R. Janson, C. De Serves and R. Romero (Stockholm, Sweden) . . . 671
A foliar rinse study of the dry deposition of nitric acid to a coniferous forest
R. Janson and L. Granat (Stockholm, Sweden) . . . 683

Appendix on CD – NOPEX datasets from CFE1 and CFE2

Datasets from CFE1 and CFE2 field campaigns

Energy budget of a lake and its influence in the mesoscale; the structure of the atmosperic boundary layer within a land-lake transect
Heikinheimo, M., Tattari, S., Tourula, T., Venäläinen, A., Virta, J. & Elo, A.-R. Documented dataset on appended CD
CO_2 and water vapour flux at the agricultural site Tisby
Søgaard, H., Tanev, P., van der Keur, P., Nordstrøm, C. & Grøndahl, L. . . . . Documented dataset on appended CD
Soil moisture (TDR), radiation, temperature and crop related measurements at Tisby agricultural site
Thomsen, A. & Plauborg, F. . . . . Documented dataset on appended CD
Heat, momentum and vapour fluxes and profiles of wind at the agricultural site Tisby
Gryning, S-E. & Hansen, F. . . . . Documented dataset on appended CD
Turbulent fluxes in the atmospheric boundary layer
Tjernström, M. & Samuelsson, P. . . . . Documented dataset on appended CD
Aerological observations
Bringfelt, B. & Staahl, S. . . . . Documented dataset on appended CD
Water regime of plant canopies and the structure of their energy balance
Matejka, F. & Hurtalová, T. . . . . Documented dataset on appended CD
CO_2- and H_2O-transfer rates between forest floor and canopy
Constantin, J., Panfyorof, O., Riese, O., Vanselow, R. & Morgenstern, K. . . . Documented dataset on appended CD
Measurements and calculation of dry deposition to forest of nitate and ammonium
Granat, L. & Janson, R. . . . . Documented dataset on appended CD
Forest ecosystem radiation model (FERM)
Nilson, T., Kuusk, A., Anniste, J. & Praks, J. . . . . Documented dataset on appended CD
Transport of water in the soil root zone as a part of the soil-plant-atmosphere-system (SPAS), of nonforested part of the NOPEX region
Šútor, J. & Novák, V. . . . . Documented dataset on appended CD
GIS as a tool for environmental planning – Pilot project for the County of Uppland
Andersson, L. & Fogelberg, J. . . . . Documented dataset on appended CD
The relationship between photosynthesis and energy budget of a lake
Pettersson, K., Pulkinen, K., Virta, J., Bågevik, K., Eriksson, A., Blanco, A., Kaup, E., Sjöberg, M. & Strömbäk, N. . . . . Documented dataset on appended CD
Modelling of fluxes and PBL structure over inhomogeneous terrain
Melas, D. & Persson, T. . . . . Documented dataset on appended CD
Fluxes in the atmospheric boundary layer
Jochum, A.M. & Frech, M. . . . . Documented dataset on appended CD
Spatial variations of near-ground meteorological variables
Bärring, L., Blennow, K., Persson, P., Jösson, P., Mossberg, M., Roos, E. & Sundberg, D. . . . . Documented dataset on appended CD
Fluxes of latent and sensible heat and carbon dioxide from forest and field
Lindroth, A., Grelle, A., Iritz, Z. & Morén, A.S. . . . . Documented dataset on appended CD
Test and improvement of a new parameterization scheme in HIRLAM in connection with the NOPEX project
Bringfelt, B., Heikinheimo, M., Perov, V. & Gollvik, S. . . . . Documented dataset on appended CD
Water-balance studies of Lake Tämnaren using ^{18}O
Saxena, R., Rodhe, A., Virta, J. & Heikinheimo, M. . . . . Documented dataset on appended CD
SAR and IS for forest parameter retrieval
Olsson, H. . . . . Documented dataset on appended CD
Determination of regional surface fluxes
Sugita, M. & Hiyama, T. . . . . Documented dataset on appended CD
Radiosonde measurements at Marsta during CFE1
Bergström, H. . . . . Documented dataset on appended CD
Meeasuement and modelling of surface energy budget
Weidinger, T., Barcza, Z., Ivanyi, Z. & Horvath, L. . . . . Documented dataset on appended CD

Datasets from the Continuous Climate Monitoring (CCM) programme during CFE1 and CFE2

The influence of soil moisture dynamics on transpiration at the CTS pine stands
Kellner, E., Jansson, P.-E., Lindahl, A., Stähli, M., Hessel, K., Eriksson, J. & Lundin, L.-C. . . . . Documented dataset on appended CD
Rainfall-interception dynamics in a pine-spruce forest stand (1995–1996)
Lundberg, A., Eriksson, M., Halldin, S., Kellner, E. & Seibert, J. . . . . Documented dataset on appended CD
Characterization of the lowest 100 m of the boundary layer and the radiation budget of the surface
Mölder, M., Halldin, S. & Lindroth, A. . . . . Documented dataset on appended CD
Radiation budget, photometric correction of the atmosphere for satellite remote sensing and in-situ calibration of net radiometers
Halldin, S., Dahlgren, L., Westman, F. & Eriksson, M. . . . . Documented dataset on appended CD
Estimation of groundwater recharge
Carlstedt, A. & Thunholm, B. . . . . Documented dataset on appended CD
Micrometerological measurements at an agricultural reference site
Smedman, A-S., Bergström, H. & Magnusson, M. . . . . Documented dataset on appended CD
Forest surface energy budget in relation to season, stand development, soil moisture and climate (BGF 1)
Grelle, A. & Lindroth, A. . . . . Documented dataset on appended CD

Forest water uptake and evaporation estimated by SVAT-modelling
Cienciala, E., Lindroth, A., Morén, A.-S. Widén, B., Cermák, J. & Kucera, J. Documented dataset on appended CD
Forest carbon and water fluxes and interactions (BGF 4)
Lindroth, A., Morén, A.-S. & Grelle, A. . . . . Documented dataset on appended CD
Modelling of hydrological processes in different scales
Gottschalk, L., Beldring, S., Motovilov, Y. & Seibert, J. . . . . Documented dataset on appended CD
Modelling hydrological response to evapotranspiration losses from different types of land cover
Tallaksen, L., Gottschalk, L., Erichsem, B., Lystad, S., Olsen, F. & Sælthun, N.R. Documented dataset on appended CD
Spatial variability in runoff soil moisture and graundwater levels and its relation to terrain parameters
Rodhe, A., Beldring, S., Erichsen, B., Gottschalk, L. & Seibert, J. . . . . Documented dataset on appended CD
Regional water balance modelling in the NOPEX area
Xu. C.-Y., Seibert, J. & Halldin, S. . . . . Documented dataset on appended CD
Energy balance and evaporation from the bog Ryggmossen
Lundin, L.-C., Lundblad, M., Pettersson, O. & Mölder, M. . . . . Documented dataset on appended CD
Spatial distribution of precipitation over the NOPEX region (ground measurements)
Seibert, J., Crochet, P. & Lundberg, A. . . . . Documented dataset on appended CD
Energy balance and evaporation from the bog Stormossen
Lundin, L-C., Kellner, E., Lindroth, A. & Melander, P.E. . . . . Documented dataset on appended CD

Recommended format for citing a dataset

Kellner, E., 1999. The influence of soil moisture dynamics on transpiration at the CTS pine stands. Agricultural and Forest Meteorology 98-99: Documented dataset on appended CD